

**2019**


**COMPRESSOR**  
**SPECS-AT-A-GLANCE**

**SPONSORED BY**




**Burckhardt  
Compression**

# 2019 COMPRESSOR SPECS-AT-A-GLANCE



■ Centrifugal  
■ Reciprocating/Rotary  
■ Turboexpanders




SPONSORED BY



**Burckhardt  
Compression**

**YOUR BENEFIT:  
LOWEST LIFE CYCLE COSTS**



# API 618

## HIGHEST AVAILABILITY

**COMBINED WITH BEST  
MAINTAINABILITY; FAST  
ACCESS TO ALL WEAR PARTS**

Full range:

Rod load up to 1'500 kN / 335'000 lbs

Power up to 31'000 kW / 42'100 hp

Lubricated up to 1'000 bara,  
non-lubricated up to 300 bara

Advanced solutions for demanding and  
sour gas applications

Over 120 years of experience in valve  
design and manufacturing

Outstanding durability of Redura® seal-  
ing elements for longest mean time  
between overhaul (MTBO)

Worldwide Burckhardt Compression  
quality, engineered in Switzerland

Your solution partner – From bare  
shaft compressors to turnkey solutions

Full range of services and top per-  
forming components through global  
organization and local service centers

→ [www.recip.com/api618](http://www.recip.com/api618)

